



onza[®]



Producer of high-quality tires with distinctive looks and a healthy dose of Swissness. That's the concept onza® tires continues to live by in its eight season. Such a young brand has already achieved some impressive results. Take former team rider Roger Rinderknecht, winner of the 2012 4X World Championship title. Wins in racing, positive tests in special interest magazines and word of mouth between enthusiasts out on the trails have all contributed to the ever increasing presence of onza® tires on bikes worldwide. These tires perform with the best in terms of traction, flat protection and weight. For 2016 you will see the work done with our team riders to develop some new products and technologies, be it a specific rubber for downhill racing or increased number of models in 27.5"/650B with new casings.

The all new Allegra ZAI in 29x2.25 size, which was specifically designed for fast pedelecs, is one of onza® tires additional achievements for paved surfaces.

CITIUS

When the conditions are dry and the courses dusty and blisteringly fast, rolling resistance is a decisive factor in downhill racing. To ensure our team riders can reach their maximum speeds, onza® tires' Citius is the perfect tire choice! Available in a 2.4-inch width for 26 and 27.5 inch wheel sizes, this tire is designed for dry, shallow depth surfaces. The Citius (latin for "faster") features densely packed knobs throughout its centre section for fast rolling performance. The tread on the tire's shoulder offers plenty of traction to stick to the fastest line in corners and off-camber sections. Want to break some course records? The Citius is all you need.



Alex McAndrew, Madkats Racing Team
Photo - Hoshi Yoshida

CITIUS 26 27.5

CITIUS means faster. Since 1894 the Olympic Games motto has been "Citius, altius, fortius", meaning "faster, higher, stronger". Perfect name then for this tire! But just being faster won't do. With this tire we aim to be the fastest of them all.

- FRC FRC120
- EDC
- DHC
- RC²55a RC²45a
- GRP40 VISCO
- ELC



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1114615	CITIUS	Free Ride / DH	26x2.40	1110g	61-559	DHC	40 x 40	Steel / Wire	RC²55a	65a/55a	-
A1114618	CITIUS	Free Ride / DH	26x2.40	1110g	61-559	DHC	40 x 40	Steel / Wire	RC²45a	55a/45a	-
A1114624	CITIUS NEW!	Free Ride / DH	26x2.40	1160g	61-559	DHC	40 x 40	Steel / Wire	VISCO	GRP40	
A1115003	CITIUS	All Mountain / Enduro	27.5x2.40	940g	61-584	FRC	60	Kevlar, foldable	RC²55a	65a/55a	TLR
A1115009	CITIUS	All Mountain / Enduro	27.5x2.40	900g	61-584	FRC120	120	Kevlar, foldable	RC²55a	65a/55a	TLR
A11150012	CITIUS	Enduro / Free Ride	27.5x2.40	1110g	61-584	EDC	60	Kevlar, foldable	RC²55a	65a/55a	TLR
A1115013	CITIUS	Enduro / Free Ride	27.5x2.40	1125g	61-584	EDC	60	Kevlar, foldable	RC²45a	55a/45a	TLR
A1115015	CITIUS	Free Ride / DH	27.5x2.40	1310g	61-584	DHC	40x40	Steel/Wire	RC²55a	65a/55a	-
A1115018	CITIUS	Free Ride / DH	27.5x2.40	1290g	61-584	DHC	40x40	Steel/Wire	RC²45a	55a/45a	-
A1115024	CITIUS NEW!	Free Ride / DH	27.5x2.40	1290g	61-584	DHC	40x40	Steel/Wire	VISCO	GRP40	-

Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Alex McAndrew, Madkats Racing Team
Photo - Hoshi Yoshida

IBEX 26 27.5 29

The IBEX (or Capricorn) is known for fast, smooth and safe locomotion in mountaineous terrain, and the tire named after it is no different: Thanks to its wide open tread, you do not need to compromise on either loose gravel or in wet conditions. No trail is too steep, no section too narrow and no root too slippery for this all round tire.



- FRC FRC120
- EDC
- DHC
- RC² RC²55a RC²45a
- GRP 40



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1109220	IBEX	All Mountain / Enduro	26x2.25	820g	57-559	FRC	60	Steel / Wire	RC55a	55a	-
A1109225	IBEX	All Mountain / Enduro	26x2.25	755g	57-559	FRC	60	Kevlar / Foldable	RC55a	55a	-
A1109230	IBEX	All Mountain / Enduro	26x2.25	695g	57-559	FRC120	120	Kevlar / Foldable	RC55a	55a	-
A1109245	IBEX	All Mountain / Enduro	26x2.40	820g	61-559	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	-
A1109248	IBEX	All Mountain / Enduro	26x2.40	750g	61-559	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	-
A1109250	IBEX	Free Ride / DH	26x2.40	1020g	61-559	DHC	40 x 40	Steel / Wire	RC ² 55a	65a/55a	-
A1109255	IBEX	Free Ride / DH	26x2.40	1020g	61-559	DHC	40 x 40	Steel / Wire	RC ² 45a	55a/45a	-
A1109257	IBEX NEW!	Free Ride / DH	26x2.40	1180g	61-559	DHC	40 x 40	Steel / Wire	VISCO	GRP-40	-
A1114207	IBEX	All Mountain / Enduro	27.5x2.25	730g	57-584	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114209	IBEX	All Mountain / Enduro	27.5x2.25	695g	57-584	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114307	IBEX	All Mountain / Enduro	27.5x2.40	890g	61-584	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114309	IBEX	All Mountain / Enduro	27.5x2.40	850g	61-584	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114310	IBEX	Enduro / Free Ride	27.5x2.40	1050g	61-584	EDC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114311	IBEX	Enduro / Free Ride	27.5x2.40	1140g	61-584	EDC	60	Kevlar / Foldable	RC ² 45a	55a/45a	TLR
A1114312	IBEX	Free Ride / DH	27.5x2.40	1255g	61-584	DHC	40 x 40	Steel / Wire	RC ² 55a	65a/55a	-
A1114313	IBEX	Free Ride / DH	27.5x2.40	1310g	61-584	DHC	40 x 40	Steel / Wire	RC ² 45a	55a/45a	-
A1114324	IBEX NEW!	Free Ride / DH	27.5x2.40	1310g	61-584	DHC	40 x 40	Steel / Wire	VISCO	GRP-40	-
A1114407	IBEX	All Mountain / Enduro	29x2.25	770g	57-622	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114409	IBEX	All Mountain / Enduro	29x2.25	735g	57-622	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114500	IBEX	All Mountain / Enduro	29x2.40	960g	61-622	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114501	IBEX	Enduro / Free Ride	29x2.40	880g	61-622	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR

Weights may vary in the range of +/- 8% due to the application of natural raw materials.

GREINA

Situated at an elevation of about 2200 metres above sea level and used as a pass since ancient Roman times, the Greina plateau sees enormous amounts of snow and water throughout the year. During the typically short alpine summer, the Greina glacier and melting snow feed countless creeks and tarns – so conditions are mostly wet and muddy. That is exactly what onza® tires has designed the “Greina” for: wide open tread finds traction even in deep mud and prevents clogging. The Greina is newly available for the 27.5 inch wheel size too.



GREINA 26 27.5

Leogang, AUT
Photo - Luisa Freudenberg

Traction was the top priority when developing onza® tires’ tread for wet and muddy conditions. Named after a high alpine plateau littered with numerous creeks and tarns, the GREINA’s wide open knobs find traction even in the worst mud without clogging.



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1110288	GREINA	All Mountain / Enduro	26x2.40	760g	60-559	FRC	60	Kevlar / Foldable	RC²55a	65a/55a	-
A1110291	GREINA	Free Ride / DH	26x2.40	1000g	60-559	DHC	40 x 40	Steel / Wire	RC²55a	65a/55a	-
A1110295	GREINA	Free Ride / DH	26x2.40	1000g	60-559	DHC	40 x 40	Steel / Wire	RC²45a	55a/45a	-
A1110297	GREINA NEW	Free Ride / DH	26x2.40	1100g	60-559	DHC	40x 40	Steel / Wire	VISCO	GRP-40	-
A1115115	GREINA	Enduro / Free Ride	27.5x2.40	1115g	60-584	EDC	60	Kevlar / Foldable	RC²55a	65a/55a	TLR
A1115118	GREINA	Free Ride / DH	27.5x2.40	1160g	60-584	DHC	40 x 40	Steel / Wire	RC²55a	65a/55a	-
A1115127	GREINA NEW	Free Ride / DH	27.5x2.40	1185g	61-584	DHC	40 x 40	Steel / Wire	VISCO	GRP-40	-

Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Madeira Island, PRT
Photo - Hoshi Yoshida

LYNX 27.5 29

The LYNX is an animal renowned for moving smoothly, quickly and efficiently over terrain, but it can also extend its claws whenever grip levels are insufficient. onza® tires' LYNX does exactly that. The fast rolling tread design allows you to fully exploit the improved traction bigger wheels offer you. Accentuated cross blocks transfer both acceleration and braking forces to the ground with minimal loss while the shoulder knobs excel in increasing directional control. Show the LYNX a set of scales and it bares its claws to the competition with a very competitive weight.



- C³

FRC

RC²
- C³120

FRC120

RC65a

Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1114007	LYNX	All Mountain / Enduro	27.5x2.25	770g	57-584	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114009	LYNX	All Mountain / Enduro	27.5x2.25	720g	57-584	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1109151	LYNX	XC / All Mountain	29x2.25	770g	57-622	C ³	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1109152	LYNX	XC / All Mountain	29x2.25	730g	57-622	C ³ 120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR

Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Photo Hoshi Yoshida

CANIS 26 27.5 29

Combining low rolling resistance with a lot of traction, the CANIS tread offers both the ferocity of a wolf and the reliability of your neighbor's dog. That's why the CANIS is the best friend for crosscountry but also all mountain riders.

C³

C³120

FRC

FRC120

RC²

RC65a



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1109180	CANIS	XC / All Mountain	26x2.25	650g	57-559	C ³	60	Steel / Wire	RC65a	65a	-
A1109190	CANIS	XC / All Mountain	26x2.25	540g	57-559	C ³ 120	120	Kevlar / Foldable	RC ² 55a	65a/55a	-
A1109182	CANIS	All Mountain / Enduro	26x2.25	705g	57-559	FRC	60	Steel / Wire	RC65a	65a	-
A1109186	CANIS	All Mountain / Enduro	26x2.25	665g	57-559	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	-
A1114102	CANIS	XC / All Mountain	27.5x2.25	640g	57-584	C ³	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114104	CANIS	XC / All Mountain	27.5x2.25	600g	57-584	C ³ 120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1109194	CANIS	XC / All Mountain	29x2.25	660g	57-622	C ³	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1109196	CANIS	XC / All Mountain	29x2.25	590g	57-622	C ³ 120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114904	CANIS NEW!	XC / All Mountain	29x2.25	735g	57-622	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR
A1114906	CANIS NEW!	XC / All Mountain	29x2.25	695g	57-622	FRC120	120	Kevlar / Foldable	RC ² 55a	65a/55a	TLR

Weights may vary in the range of +/- 8% due to the application of natural raw materials.

SKINWALL

a cheer for tradition

XC | All Mountain | Enduro



SKINWALL EDITION 27.5 29

Rob Heran, Himalya
Photo - Sebastian Doerk

onza® tires is part of mountain biking history, no doubt about it. To honor days bygone, the brand brings old school looks back to mountain bikes: A selection of tire models are available in a skinwall flavour. With the sidewalls lacking a butyl rubber treatment, these tires get a very distinctive look. With riding some skinwalls, we remember the old times of mountain biking!

- C³
- FRC
- RC²55a
- RC²

Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1114308	IBEX	All Mountain / Enduro	27.5x2.40	870g	61-584	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR, Skinwall
A1116024	IBEX NEW!	All Mountain / Enduro	27.5x2.25	TBA	57-584	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR, Skinwall
A1116027	IBEX NEW!	All Mountain / Enduro	29x2.25	TBA	57-622	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR, Skinwall
A1115006	CITIUS	All Mountain / Enduro	27.5x2.40	955g	61-584	FRC	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR, Skinwall

SKINWALL

a cheer for tradition

NEW SIZES
2016

- C³
- RC²

Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1116030	CANIS NEW!	XC / All Mountain	27.5x2.25	TBA	57-584	C ³	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR, Skinwall
A1109195	CANIS	XC / All Mountain	29x2.25	640g	57-622	C ³	60	Kevlar / Foldable	RC ² 55a	65a/55a	TLR, Skinwall

Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Dirt | BMX

XIII 26 20

The XIII's tread has its roots in BMX racing. Roger Rinderknecht, BMX legend and former ERA rider, has been decisively involved in this tire's development. In its 26 inch format, this tire combines low rolling resistance and excellent rolling characteristics on hard-packed surfaces commonly found on BMX tracks and dirt lines. And to allow for the occasional cased landing, the dirt version also has plenty of volume.



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer
A1109260	XIII	Dirt	26x2.25	760g	57-559	R ^{XIII}	60	Steel / Wire	RC ²	65a/55a
A1109305	XIII	BMX	20x1.75	375g	47-406	R ^{XIII}	60	Steel / Wire	RC ²	65a/55a
A1109315	XIII	BMX	20x1.95	430g	47-406	R ^{XIII}	60	Steel / Wire	RC ²	65a/55a



BMX

R² 20

The R2 offers riding pleasure squared. Tight centered knobs and the drawn-out side pattern turn the R2 into the perfect all round BMX tire. Whether Dirt, Street or Flatland: Whatever your choice is, this tire won't let you down.



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer
A1109280	R²	BMX	20x1.75	430g	47-406	R ^{XIII}	60	Steel / Wire	RC ²	65a/55a
A1109290	R²	BMX	20x1.95	540g	49-406	R ^{XIII}	60	Steel / Wire	RC ²	65a/55a

Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Road | Fixie | Urban

LAVIN 26 700C

The LAVIN's strengths are in its low rolling resistance and longevity. Dual-Compound-Rubber turns this one into a reliable training tire. Even the mighty Fluelapass in the Swiss Alps becomes an easy treat with this tire. The LAVIN URBAN seems like a bit of a paradox, fast-rolling yet offering loads of puncture resistance - exactly what a 26 inch tire needs in the urban surroundings.

Easton - Ritte Team
Photo Easton - Ritte Team



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer
A1109367	LAVIN blk/blk	Road / Fixie	700x28c	390g	28-622	NB¹	60	Steel / Wire	DCR	65a/55a
A1109370	LAVIN blk/blk	Road	700x23c	220g	23-622	NB¹	60	Kevlar / Foldable	DCR	65a/55a
A1109387	LAVIN blk/blk	Road / Fixie	700x28c	310g	28-622	NB¹	60	Kevlar / Foldable	DCR	65a/55a
A1109450	LAVIN Urban	Urban	26x1.25	360g	32-559	NB¹	60	Steel / Wire	SCR	65a



Road

PREDA 700C

The PREDA is onza® tires' road bike tire for competition, training and sports use. Its DXT rubber compound adds a lot of reliability and precision when taking turns on tough mountain passes at full speed. This light weight tire makes sure you have some energy left in stock even at the peak of the steepest climbs.

Easton - Ritte Team
Photo Easton - Ritte Team



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer
A1109415	PREDA blk/blk	Road	700x23c	205g	23-622	NB²	120	Kevlar / Foldable	DXT	65a/55a

Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Photo - Hoshi Yoshida

ALLEGRA 700C 29

“Allegra” is a greeting of the Rhaetians in the Grisons region of Switzerland, and means that you’re supposed to enjoy life. For musicians “allegro” means something that strides ahead, in many variations. The bicycle being a joyful way of getting ahead, Allegra is therefore a perfect fit for onza® tires’ commuter, trekking and pedelec model, newly available in 29x2.25 size too. When constructing this tire, flat protection and low rolling resistance were top priorities. Be it on a cycling tour or on the daily commute, onza® tires’ ALLEGRA keeps you going with barely an effort.

LEV

ZAI

SCR

electro 50



Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer	tech. Notes
A1109480	ALLEGRA	Urban	700x32c	450g	32-622	LEV	27	Steel/Wire	SCR	65a	-
A1109485	ALLEGRA	Urban	700x32c	450g	32-622	LEV	27	Steel/Wire	SCR	65a	Reflecting Tape
A1109470	ALLEGRA	Urban	700x32c	510g	32-622	ZAI	27	Steel/Wire	SCR	65a	-
A1109475	ALLEGRA	Urban	700x32c	510g	32-622	ZAI	27	Steel/Wire	SCR	65a	Reflecting Tape
A1115436	ALLEGRA	Urban / Pedelec	29x2.25	915g	57-622	ZAI	60	Steel/Wire	SCR	65a	electro50
A1115439	ALLEGRA	Urban / Pedelec	29x2.25	915g	57-622	ZAI	60	Steel/Wire	SCR	65a	Reflecting Tape, electro 50

Weights may vary in the range of +/- 8% due to the application of natural raw materials.

Urban



NATRIX URBAN 26

The NATRIX URBAN is an ideal 26" touring tire. Its well-balanced tread offers low rolling resistance and runs quietly. Be it on paved roads or beyond, with the NATRIX URBAN you can get ahead as quickly and as effortlessly and as a ring snake.



NB¹

SCR

Part #	Description	Category	Size	Weight	ETRTO	Casing	TPI	Bead	Rubber	Durometer
A1109460	NATRIX Urban	Urban	26x1.50	520g	40-559	NB ¹	60	Steel / Wire	SCR	65a

¹ Weights may vary in the range of +/- 8% due to the application of natural raw materials.



Scan for installation video!



SEAL UP! Sealant for Tubeless Systems

onza® tires' SEAL UP! tire sealant works for any kind of tubeless ready tires on the market. It's easy to install, prevents air leaks and seals up defects on tires up to 6mm size. Online installation guide on youtube, onza tires media channel.

Part #	Description	
A5513001	ONZA SEAL-UP!, Bottle 240ml	-
A5513002	ONZA SEAL UP!, shop display	Box of 20 bottles
A5513003	ONZA SEAL UP!, master box	Two display boxes, 20 bottles each





TUBE SA 1 | 0.45mm

700C

Part #	Description	Category	Size	Weight	ETRTO	Thickness	Valve	
A1109815	SA1	ROAD	700x18-25C	52g	18/25-622/630	0.45 mm	FV48	Presta 48mm
A1109820	SA1	ROAD	700x18-25C	54g	18/25-622/630	0.45 mm	FV60	Presta 60mm



TUBE SA 2 | 0.6mm

26

27.5

29

700C

Part #	Description	Category	Size	Weight	ETRTO	Thickness	Valve	
A1109765	SA2	XC	26x1.90-2.125	130g	44/52-559	0.6 mm	FV	Presta
A1109767	SA2	XC	27.5x1.90-2.40	TBA	50/60-584	0.6 mm	FV	Presta
A1109766	SA2	XC	29x1.90-2.40	155g	50/60-622	0.6 mm	FV	Presta
A1109775	SA2	ROAD	700x18-25C	70g	18/25-622/630	0.6 mm	FV48	Presta 48mm
A1109780	SA2	ROAD	700x18-25C	72g	18/25-622/630	0.6 mm	FV60	Presta 60mm



TUBE SA 3 | 0.8mm

20

26

27.5

29

700C

Part #	Description	Category	Size	Weight	ETRTO	Thickness	Valve	
A1109605	SA3	BMX	20x1.25-1.75	110g	34/44-406	0.8 mm	FV	Presta
A1109615	SA3	BMX	20x1.75-2.20	125g	44/52-406	0.8 mm	FV	Presta
A1109660	SA3	Commuter	26x1.00-1.25	90g	25/32-559	0.8 mm	FV	Presta
A1109670	SA3	XC / Urban	26x1.25-1.75	145g	32/44-559	0.8 mm	FV	Presta
A1109675	SA3	XC	26x1.75-2.20	170g	44/52-559	0.8 mm	SV	Schrader
A1109680	SA3	XC	26x1.75-2.20	170g	44/52-559	0.8 mm	FV	Presta
A1109682	SA3	XC	27.5x1.90-2.40	180g	50/60-584	0.8 mm	FV	Presta
A1109681	SA3	XC	29x1.90-2.40	200g	50/60-622	0.8 mm	FV	Presta
A1109685	SA3	Road	700x18-25C	86g	18/25-622/630	0.8 mm	FV	Presta
A1109690	SA3	Road	700x18-25C	88g	18/25-622/630	0.8 mm	FV48	Presta 48mm
A1109695	SA3	Road	700x18-25C	90g	18/25-622/630	0.8 mm	FV60	Presta 60mm
A1109698	SA3	Road	700x25-32C	92g	25/32-622/630	0.8 mm	FV	Presta
A1109700	SA3	Road	700x25-32C	94g	25/32-622/630	0.8 mm	FV48	Presta 48mm
A1109703	SA3	Road	700x25-32C	96g	25/32-622/630	0.8 mm	FV60	Presta 60mm

TUBE SA-FR | 0.8mm

26

27.5

Part #	Description	Category	Size	Weight	ETRTO	Thickness	Valve	
A1109865	SA-FR	FR	26x2.20-2.50	290g	52/62-559	0.8 mm	FV	Presta
A1109866	SA-FR	FR	27.5x2.20-2.50	310g	52/62-548	0.8 mm	FV	Presta

TUBE SA-DH | 1.5mm

26

Part #	Description	Category	Size	Weight	ETRTO	Thickness	Valve	
A1109855	SA-DH	DH	26x2.40-2.70	450g	62/70-559	1.5 mm	FV	Presta

CASING TECHNOLOGY

NB¹ 1 Nylon Breaker

One Nylon inlay increases puncture protection and decreases rolling resistance. Plus Nylon adds extra stiffness to the tire.

Field of Application: MTB City / Urban & Road Training

NB² 2 Nylon Breaker

Uses NB1 as the basis and adds an additional Nylon inlay that increases puncture resistance further.

Field of Application: Road Race

R^{XIII} Roger 13, XIII

Foldable beads and inflatable up to 110PSI (BMX tire only) for high performance BMX racing and Dirt.

Field of Application: BMX / DIRT

electro⁵⁰

A bead-to-bead puncture protection layer increases the brake-down safety. Tires comply with ECE-R75 test standard.

Field of Application: Pedelecs of category L1e (45km/h)

C³ Cross Country Casing

Cross Country casing for daily use and training with 60TPI.

Field of Application: Cross Country Tires

C³120 Cross Country Casing 120TPI

Cross Country Casing with 120TPI for less weight and faster rolling.


Field of Application: Light Weight Cross Country Tires

EDC Enduro Casing

Enduro Casing with 60TPI and light weight butyl inlays providing very high puncture protection. Tubeless Ready TLR.

Field of Application: Enduro Racing / Free Ride

TLR Tubeless Ready TLR

Special bead technology for quick and tight air sealing of tire and rim. Tubeless Ready TLR works best with onza  tire's SEAL UP! sealant.

Field of Application: Any kind of riding styles

FRC Freeride Casing

Freeride casing for daily use and training with 60TPI.

Field of Application: Freeride Tires

FRC120 Freeride Casing 120TPI

Freeride Casing with 120TPI for less weight and faster rolling.

Field of Application: Light Weight Race Freeride Tires

DHC Downhill Casing

Dual ply casing with butyl inlay and additional 40x40TPI bead to bead construction.

Field of Application: Downhill Race

TIRE TECHNOLOGY Examples

RC² Dual Compound / Racing Compound 55a/65a

Dual Compound / Racing Compound 55a / 65a. Combination of two different compounds. 65a for low rolling resistance and long-life on the inside and 55a on the outside for perfect cornering grip in all conditions.

C³ Cross Country Casing

Cross Country casing for daily use and training with 60TPI.



LYNX 29 x 2.25

C³ RC²

RC²55a Dual Compound / Racing Compound 55a/65a

Combination of two different compounds. 65a for low rolling resistance and long-life on the inside and 55a on the outside for perfect grip on all downhill courses.

FRC Freeride Casing

Freeride casing for daily use and training with 60TPI.



IBEX DH 2.40

FRC RC²55a

RC²55a Dual Compound / Racing Compound 55a/65a

Combination of two different compounds. 65a for low rolling resistance and long-life on the inside and 55a on the outside for perfect grip on all downhill courses.

EDC Enduro Casing

Enduro Casing with 60TPI and light weight butyl inlays providing very high puncture protection. Tubeless Ready TLR.



IBEX 27.5 x 2.40

EDC RC²55a

GRP40 VISCO Compound GRP40

High performance GRP40 compound with extra self-damping properties. VISCO polymer structure, specially developed for gravity application. Ultra-high grip on difficult and wet terrain.

DHC Downhill Casing

Dual ply casing with butyl inlay and additional 40x40TPI bead to bead construction.



IBEX DH 2.40

DHC GRP40

RUBBER TECHNOLOGY

SCR Single Compound Road

65a rubber compound for good traction combined with excellent rolling characteristics and longevity.

Field of Application: Urban / Commuting / Pedelec

DCR Dual Compound Road

Combination of two different compounds. 65a for low rolling resistance and long-life on the inside and 55a on the outside for perfect grip in all conditions.

Field of Application: MTB City / Urban / Road Training

RC55a Rubber Compound 55a

55a rubber compound for best traction combined with good rolling characteristics and long-life.

Field of Application: Cross Country / Freeride / Downhill / BMX / Dirt

RC65a Rubber Compound 65a

65a rubber compound for good traction combined with good rolling characteristics and long-life.

Field of Application: Cross Country / Freeride / Downhill / BMX / Dirt

RC²55a Dual Compound / Racing Compound 55a/65a

Combination of two different compounds. 65a for low rolling resistance and long-life on the inside and 55a on the outside for perfect grip on all downhill courses.

Field of Application: Downhill Training

RC²45a Dual Compound / Racing Compound 45a/55a

Combination of two different compounds. 55a for low rolling resistance and long-life on the inside and 45a on the outside for perfect cornering grip. This compound offers best performance for competition riding.

Field of Application: Downhill Race

DXT Dual Extruding Technology

Extruding production technology with 65a for low rolling resistance and long-life on the inside and 55a compound on the outside for perfect grip in all conditions.

Field of Application: Road Pro Racing

RC² Dual Compound / Racing Compound 55a/65a

Dual Compound / Racing Compound 55a / 65a. Combination of two different compounds. 65a for low rolling resistance and long-life on the inside and 55a on the outside for perfect cornering grip in all conditions.

Field of Application: Cross Country / Freeride / BMX / Dirt

GRP40 VISCO Compound GRP40

High performance GRP40 compound with extra self-damping properties. VISCO polymer structure, specially developed for gravity application. Ultra-high grip on difficult and wet terrain.

Field of Application: Enduro Racing / Freeride / Downhill Racing

DISTRIBUTOR LIST

Australia:
Bicycle Parts Wholesale
76 – 80 Micro Circuit
3175 Dandenong, Victoria
Phone : +61 3 9702 9044
Contact: sales@bicyclepartswholesale.com.au
www.bicyclepartswholesale.com.au

Chile:
Mountain Works SpA
Padre Hurtado Norte #1376
CP 7650191 Vitacura, Santiago - Chile
Phone: +56 2 2954 3777
Contact: contacto@mtnworks.cl
www.mtnworks.cl

GCC / Gulf Cooperation Council:
Fun Ride Sports Establishment
Aboubaker Assakaf
3rd floor, Be sport opposite TGIF
mushrif mall, airport road
Abu Dhabi
Phone: +971 24455838 & +971567797984
Contact: info@funridesports.com
www.funridesports.com

Israel:
DG Trade Ltd. (Bikedeal)
P.O. Box 206
3009500 Ramat Yishai
Phone: +972 76 5455537/8
Contact : info@bikedeal.co.il
www.bikedeal.co.il

Norway:
I Like Bikes AS
Gerhard Gransvei 39
5094 Bergen
Phone: +4799617530
Contact: bendik@ilikebike.no
www.ilikebike.no

Singapore:
Bike+Pte Ltd.
20 Sing Ming Lane
Midview City, #01-60
573968 Singapore
Contact: info@bikeplus.com
www.bikeplus.com

Sweden:
I Like Bike
Äsögatan 122
11624 Stockholm
Phone: +46 8 221860
Contact: tobias@ilikebike.se
www.ilikebike.se

USA:
BTI/Bicycle Technologies International
33 Velocity Way
Santa Fe, NM 87508
Phone: +1 800-558-8324
Contact: info@bti-usa.com
www.bti-usa.com

Austria:
Cosmic Sports GmbH
Leyher Strasse 47
90763 Fürth
Phone: +49 911 310755 0
Contact: info@cosmicsporpts.de
www.cosmicports.de

China:
DQX Bicycles (Beijing) Co. Ltd.
Beijing Shi Haidian Qu Ma Lian Wa Bei Lu
Xi Shan Hua Fu 34 Lou 103 Shi
CN-100093 Beijing
Phone: +86 1062739069
Contact: dqx@dqxbikes.com
www.dqxbicycles.com

Greece :
Podilatorama Bike Store
Ag. Nestoros 40
546 32 Thessaloniki
Phone : +30 2310 642830
Contact : info@podilatorama.gr
www.podilatorama.gr

Italy:
4guimp S.r.l.
Via Pillea 17
16153 Genova
Phone : +39 010 8935035
Contact : info@4guimp.com
www.4guimp.com

Poland:
Gregorio F.H.
UL. 3 Maja 24a
43-450 Ustron
Phone: +48 33 854 48 02
Contact: gregorio@gregorio.pl
www.gregorio.pl

Spain:
Bike Difusion S.L
C / Arkatza 1, Pabellón 48
01006 Vitoria
Phone : +34 945 158 288
Contact : info@bikedifusion.com
www.bikedifusion.com

Switzerland:
CHRIS Sports I Christian Bättig
AGMurgtalstr. 18, Postfach 236
9542 Münchwilen
Phone: +41 71 969 66 66
Contact: chrissports@chrissports.ch

USA:
Bikefettish
3943 Irvine Blvd #295
Irvine, CA 92602
Phone: +1 951-817-7741
Contact: sales@bikefettish.com
www.bikefettish.com

BeNeLux:
Cosmic Sports bv
Passage 7
NL-2042 KS Zandvoort
Phone: +31 235 735518
Contact: info@cosmicports.com
www.cosmicports.com

Czechia:
Bottico s.r.o.
Wolkerova 1273
76502 Otrokovice
Phone: +420 577 119 271 3
Contact: bottico@bottico.cz
www.onza.cz

Germany:
Cosmic Sports GmbH
Leyher Strasse 47
90763 Fürth
Phone: +49 911 310755 0
Contact: info@cosmicpoprts.de
www.cosmicports.de

New Caledonia
Impact Sarl
88 route du Port Despointes Faubourg Blanchot
98800 Nouméa
Phone: +687 782 197
Conact: g.dreau@wanadoo.fr

Portugal:
Altis – Alfredo Baptista, Sucrs., Lda.
Av. da Boavista, 728
4100-111 Porto
Phone : +35 22 607 82 10
Contact : altis@altis.pt
www.altis.pt

South Africa:
Rush Sports Pty Ltd
21 Oldfield Business Park
1 Haworth Road
Mkondeni, 3201
Phone: +27 33 346 2300
Contact: sales@rushsports.co.za
www.rushsports.co.za

Thailand:
C & P SMART GROUP Limited Partnership
89/37, Moo 15, T.Bangkaew, A Bangplee
Samutprakarn 10540
Contact: kitti987@hotmail.com
www.kittybike.com

Bulgaria:
KALE 06 Ltd.
Bike House
blvd. Lomsko shosse 104
1220 Sofia
Phone: +359-878805569
Concact: info@bike-house.biz
www.bike-house.biz

Finland:
Foxcomp Finland Oy
Kiirikkanummentie 106
03320 Selki
Phone : +35 840 520 87 88
Contact : kimmo.jalli@foxcomp.fi
www.foxcomp.fi

Hongkong :
Gravity Reaction Cycles Company
G/F., 43 Tai Nan Street
Sham Shui Po
HK-Kowloon
Phone: +852 – 2381 2289
Contact: gravityreactioncycles@gmail.com
www.gravityreactioncycles.com

New Zealand:
Blue Shark Ltd.
Dublin Bay Road
PO Box 136
9382 Wanaka
Phone: +64 3 443 8414
Contact: alastair@mountainbikes.co.nz
www.mountainbikes.co.nz

Romania:
Bikedistrict.ro LTD
58 Hunyadi Street
535600 Odorheiu Seuiesc
Phone: +40 744 27 87 24
Contact: contact@bikedistrict.ro
www.bikedistrict.ro

South Korea :
EXO Co, Ltd.
113-3 Yul-dong, Bundang-gu
3rd floor
463040 Seongnam-si, Gyeonggi-do
Phone : +82 31 705 31 41
Contact : eugene@exo.kr
www.exo.kr

United Kingdom:
Silverfish UK Ltd.
Unit 3 Woodacre Court
Saltash Parkway Industrial Estate
Burraton Road
PL 12 6LY Saltash
Phone : +44 1752 843 882
Contact : info@silverfish-uk.com
www.silverfish-uk.com



Rudy Cabirou,Youl'Voul Racing Team ,Leogang, AUT
Photo - Hoshi Yoshida

"Passionate about keeping you on your chosen line"



contact@onzatires.com
www.onzatires.com

Head office
Apex Sports LLC
Eiweg 10
4460 Gelterkinden
Switzerland

T +41 61 599 88 30
F +41 61 599 88 31

Office USA:
Apex Sports Inc.
3943 Irvine Blvd. #295
Irvine, CA 92590
USA

T. +1 951 817 7741